




THE H-SERIES


Available with optional lids and domes.



A great choice of *optional* lids for these receptacles including the DS-24 (for 24-gallon receptacles) and DS-32 (for 32-gallon receptacles) dome-tops with self-closing doors shown in the two top photos. These are available in six colors, as shown with the T-series on page 8. Shown next is the tapered lid followed by the raised dome-top (Model LDT, available for 24-gallon size only). All above receptacles are shown in redwood.



An HF-24 with tapered lid, shown as a planter... perfect for use indoors or outdoors. Shown in redwood. Steel lid is *optional*.





An HF-24 with *optional* tapered steel lid, shown as a receptacle. Presented here in mahogany.

Each H-Series receptacle is built with a PUBLICOTE™-treated welded steel frame. Each frame consists of three steel rings welded to eight steel rods, with eight rods across the base. Each carefully selected slat is attached to the frame from the inside with three specially-made, hardened, plated screws. H-series receptacles can be used as simple, beautiful planters.


MOUNTING OPTIONS:

The mounting options for all H-series receptacles offer great installation flexibility. However, the strongest configuration in which these products can be mounted is simply to use the "F"- style square base and bolt the receptacle directly to the surface. In this configuration, loads across the base are distributed across the entire base assembly.







HPF-24: Shown in mahogany, a popular surface-mounted receptacle which includes closed top. It is shown here with optional inlaid stainless steel ash tray. Also available in a 32-gallon size, the **HPF-324**.




H-24 (24-gallon) and **H-324** (32-gallon) utilize 24 2 X 3 (nominal) slats. Also available, **Models HF-24** and **HF-324** for surface mount or portable use. Shown in Ipe.



HF-66 (24-gallon) and **HF-366** (32-gallon) utilize 16 2 X 3 (nominal) slats in tapered configuration. Also available, **Models H-66** and **H-366** for permanent, in-ground installation. Shown in Ipe.



The **H-46**: 24-gallon size, shown in mahogany, and the **HF-346** (32-gallon) utilize 16 2 X 3 (nominal) slats in a cylindrical configuration. Also available, **Models HF-46** and **HF-346** for surface mount or portable use.



HF-16 (24-gallon) and **HF-316** (32-gallon) utilize 16 2 X 4 (nominal) slats. Also available, **Models H-16** and **H-316** for permanent, in-ground installation. Shown in mahogany.






VICTOR STANLEY, INC.



VOLUME 32
PART 1

EXCELLENCE IN SITE AMENITIES

The Tradition Continues



Dunkirk, Maryland 20754 USA


Tel: (301) 855-8300 • Toll Free 1-800-368-2573



T-24/P-8



S-13



H-24



R-13



PSO-24



VICTOR STANLEY, INC.

**Brick House Road
Dunkirk, Maryland 20754 USA
Tel: (301) 855-8300
Fax: (410) 257-7579**

**Tel: Toll Free in USA and Canada
1-800-368-2573**